

シンシンラック錠

Antipyretic analgesic

Characteristic

Shinshinlux Tablets is an acetaminophen preparation that acts on the brain, which is a control tower for fever and pain, effectively suppressing fever and headache. Because it hardly affects the prostaglandin which protects the stomach wall from the influence of gastric acid, it is mild to the stomach and does not contain sleepy ingredients.



[Instructions for use]

1. Don't take it for the next person.

- (1) Those who have caused allergic symptoms due to this medicine or its components
- (2) Those who have caused asthma by taking this medicine or other antipyretic analgesics and cold medicines

2. If the following symptoms appear after taking, which may be adverse reactions, please stop taking them immediately and consult your doctor, pharmacist or registered seller with this document.

Relational position	Symptom
Skin	Rash, redness, itching
Digestive organs	Nausea and vomiting, loss of appetite
Mental nervous system	Vertigo
Others	Hypothermia

3. If symptoms do not improve after 5-6 times of use, please stop taking it and consult your doctor, dentist, pharmacist or registered seller with this document.

[Efficacy/Effect]

1) Headache, toothache, pain after tooth extraction, sore throat (sore throat), earache, joint pain, neuralgia, low back pain, muscle pain, scapulohumeral periarthrits pain Traumatic pain, fracture pain, pain with sprain (sprain pain), menstrual pain (dysmenorrhea) and analgesia of external pain

2) Chills (chills caused by fever). Antipyretic when fever occurs

[Usage and dosage]

Age	Primary quantity	Frequency of taking
Adult (over 15 years old)	A slice	Limit to three times a day
Over 7 years old and under 15 years old	1/2 tablet	
Under 7 years old	Do not take	

Limit it to 3 times a day, and try to avoid taking it on an empty stomach. Take it at intervals of more than 4 hours.

< Precautions related to usage and dosage >

(1) Please strictly abide by the prescribed usage and dosage.

(2) When taking it to children, please take it under the guidance and supervision of your guardian.

[Usage and dosage]

Composition	Three tablets	Action
Acetaminophen	900mg	Relieve pain and fever symptoms

Matters needing attention in storage and handling

- (1) Please keep it in a cool place with less moisture than direct sunlight.
- (2) Please keep it out of the reach of children.
- (3) Do not replace with other containers. (Can lead to misuse or quality change)
- (4) Do not take products that exceed the service life (recorded in the outer box).

▼For enquiries about this product, please go to the pharmacy where you need to buy it, pharmacy, or the "Customer Enquiry Room" below.

Seller **CGM Innovation Co., Ltd.** 〒110-0003 3-9-16 Negishi, Taito-ku, Tokyo <https://www.cgmgroupp.jp>

Customer Advisory Office: TEL.076-435-0878 Acceptance time / 9:00-17:00 (Except Saturday, Sunday and holidays)